



03/14/01

LAW OFFICES  
**SUGHRUE, MION, ZINN, MACPEAK & SEAS, PLLC**

2100 PENNSYLVANIA AVENUE, N.W.  
WASHINGTON, DC 20037-3213  
TELEPHONE (202) 293-7060  
FACSIMILE (202) 293-7860  
www.sughrue.com

March 14, 2001

J. Frank Osha, Esq.  
Direct Dial (202) 663-7915  
Email: fosha@sughrue.com

J1017 U.S. PTO  
09/05/14  
03/14/01

## BOX PATENT APPLICATION

Commissioner for Patents  
Washington, D.C. 20231

Re: Application of Kenji YAMANISHI and Hang LI  
QUESTIONNAIRE ANALYSIS SYSTEM  
Our Ref. Q63084

Dear Sir:

Attached hereto is the application identified above including 30 sheets of the specification, including the claims and abstract, 10 sheets of drawings, the executed Assignment and PTO 1595 form, and the executed Declaration and Power of Attorney. Also enclosed is an Information Disclosure Statement with form PTO-1449 and references.

The Government filing fee is calculated as follows:


Total claims	<u>13</u>	-	<u>20</u>	=	<u></u>	x	\$18.00	=	<u></u>
Independent claims	<u>4</u>	-	<u>3</u>	=	<u>1</u>	x	\$80.00	=	<u>\$80.00</u>
Base Fee									<u>\$710.00</u>

<b>TOTAL FILING FEE</b>	<b>\$790.00</b>
Recordation of Assignment	\$40.00
<b>TOTAL FEE</b>	<b><u>\$830.00</u></b>

Checks for the statutory filing fee of \$790.00 and Assignment recordation fee of \$40.00 are attached. You are also directed and authorized to charge or credit any difference or overpayment to Deposit Account No. 19-4880. The Commissioner is hereby authorized to charge any fees under 37 C.F.R. §§ 1.16 and 1.17 and any petitions for extension of time under 37 C.F.R. § 1.136 which may be required during the entire pendency of the application to Deposit Account No. 19-4880. A duplicate copy of this transmittal letter is attached.

Priority is claimed from March 15, 2000 based on Japanese Application No. 2000-071657. The priority document is enclosed herewith.

Respectfully submitted,  
**SUGHRUE, MION, ZINN,**  
**MACPEAK & SEAS, PLLC**  
Attorneys for Applicant

By:   
J. Frank Osha  
Registration No. 24,625